

product

CATALOG

IMPLANTS & INSTRUMENTS FOR TISSUE REPAIR



Surgical Innovation | Customer Driven

 **PARCUS**
MEDICAL, LLC.

Surgical Innovation | Customer Driven

For 10 years, Parcus Medical™ has been listening and reacting to the demands of the changing health care environment. Our mission is aligned with orthopedic surgeons and health care facilities that need Sports Medicine products that perform to the highest standards and provide a genuine value proposition for their patients.

With decades of experience in manufacturing and design to guide us, we now offer over 300 products that are made in our Sarasota, Florida facility. But that is just the beginning. Our ever expanding product portfolio is now available in over 60 countries and growing because at Parcus™, *Surgical Innovation is Customer Driven.*

PAGE	PRODUCTS
3	SLiK™ Knotless Screw-In Anchors
4	SLiK™ Fix Screw-In Tenodesis System
5	Draw Tight™ Suture-Based Anchors
6	PEEK CF Push-In Suture Anchors
7	Knotless PEEK CF Push-In Suture Anchors
8	Twist & Triple Twist PEEK Screw-In Suture Anchors
9	V-LoX™ & V-LoX ³ PEEK CF Screw-In Suture Anchors
10	MiTi & MiTi XL Titanium Screw-In Suture Anchors
11	V-LoX & V-LoX ³ Titanium Screw-In Suture Anchors
12	Parcus Braid™
13	Patient Positioning
14 - 15	Shoulder Instrumentation
16	STAR Manual Hand Instruments
17	Graft Fixation System Ultimate (GFS Ultimate)
18	Graft Fixation System Mini (GFS Mini)
19	Graft Fixation System II (GFS II)
20	Graft Fixation System Naked (GFS Naked)
21	PEEK CF Interference Screws
22	Titanium Interference Screws
23-25	Knee Instrumentation
26	Hip Instrumentation



SLiK


Knotless Screw-In Anchors



SLiK is a knotless screw-in anchor recommended for use in both large and small-joint repairs. Combining the SLiK anchor with Parcus Braid Suture Tape helps to create an ideal knotless double row rotator cuff repair. Available in both carbon fiber-reinforced PEEK-OPTIMA and natural PEEK-OPTIMA.

Features & Benefits

- **Activation button**
 - Allows for one-handed insertion which saves time in the operating room
- **Large suture guide**
 - Ability to set tension prior to fixation
 - Accommodates multiple suture/tape configurations
- **Knotless**
 - Provides a step-saving alternative to conventional "knotted" suture anchors
 - Eliminate "knot stacks" associated with soft tissue irritation or impingement



SLiK... because it is!

SLiK PEEK CF Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10957	5.5	15	SLiK , knotless, screw-in, suture anchor, w/suture passer	PEEK CF	1
10958	6.25	15	SLiK , knotless, screw-in, suture anchor, w/suture passer	PEEK CF	1

SLiK PEEK Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10915	4.75	15	SLiK , knotless, screw-in, suture anchor, w/suture passer	PEEK	1
10918	5.5	15	SLiK , knotless, screw-in, suture anchor, w/suture passer	PEEK	1
10919	6.25	15	SLiK , knotless, screw-in, suture anchor, w/suture passer	PEEK	1

Instrumentation for SLiK Anchors

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-Use/Reusable
11092	4.1	Shoulder	SLiK , awl	Unsterile	Reusable



SLiK Fix

Screw-In Tenodesis System



SLiK Fix is a screw-in tenodesis system recommended for use in both large and small-joint repairs. SLiK Fix is ideally suited for biceps repair. Available in both carbon fiber-reinforced PEEK-OPTIMA and natural PEEK-OPTIMA. .

Features & Benefits

- **Activation button**
 - Allows for one-handed insertion which saves time in the operating room
- **Suture retention tip and tendon washer**
 - Effective manipulation of tendon
- **Designed to advance tendon prior to fixation**
 - Compression fixation along full length of implant



SLiK... because it is!

SLiK Fix PEEK CF Screws

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10995	7	15	SLiK Fix , tenodesis screw	PEEK CF	1
10996	8	15	SLiK Fix , tenodesis screw	PEEK CF	1
10997	9	15	SLiK Fix , tenodesis screw	PEEK CF	1

SLiK Fix PEEK Screws

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10952	7	15	SLiK Fix , tenodesis screw	PEEK	1
10953	8	15	SLiK Fix , tenodesis screw	PEEK	1
10954	9	15	SLiK Fix , tenodesis screw	PEEK	1

Instrumentation for SLiK Fix Screws

Part #	Diameter (mm)	Joint	Description	Sterile/ Unsterile	Single-use/Reusable
11016U	7	Shoulder	SLiK Fix , drill bit	Unsterile	Single-use
11017U	8	Shoulder	SLiK Fix , drill bit	Unsterile	Single-use
11018U	9	Shoulder	SLiK Fix , drill bit	Unsterile	Single-use
11019U	10	Shoulder	SLiK Fix , drill bit	Unsterile	Single-use

Draw Tight Suture-Based Anchors



Draw Tight Suture-Based Anchors are recommended for use in both large and small-joint repairs. Made with UHMWPE and a natural PEEK-OPTIMA power tip.

Features & Benefits

- **PEEK Power Tip**
 - Delivers improved insertion and a solid core for stronger fixation
- **Deployment sutures**
 - Tactile confirmation the anchor has been successfully deployed




Draw Tight Suture-Based Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10565	1.8	-	Draw Tight, push-in, suture-based anchor, w/1, #2 suture (wht/blu)	UHMWPE	6
10820	3.2	-	Draw Tight, push-in, suture-based anchor, w/2, #2 sutures (blu & blu/blu)	UHMWPE	6
10588	3.2	-	Draw Tight, push-in, suture-based anchor, w/2, #2 sutures (wht/blu & wht/blk)	UHMWPE	6

Instrumentation for Draw Tight Suture-Based Anchors

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10365	3.2	Shoulder	Awl	Unsterile	Reusable
10873U	-	Small Joint	1.8 Draw Tight, drill bit, w/positive stop	Unsterile	Reusable
10590U	-	Shoulder	1.8 Draw Tight, drill bit, w/positive stop	Unsterile	Reusable
10505U	3.2	Small Joint	Drill bit, w/positive stop	Unsterile	Reusable
10540U	3.2	Shoulder	Drill bit, w/positive stop	Unsterile	Reusable
10591	-	Shoulder	3.2 Draw Tight, drill guide ¹	Unsterile	Reusable
10823	3.5	Small Joint	8-point drill guide, w/beaver tail handle	Unsterile	Reusable
10446	3.5	Shoulder	8-point drill guide, w/trocator tip obturator	Unsterile	Reusable
10406	3.4	Shoulder	Blunt tip obturator ²	Unsterile	Reusable
10771	3.3	Shoulder	Conical tip obturator, 1.8mm cannulation ²	Unsterile	Reusable
10405	3.4	Shoulder	Trocator tip obturator ²	Unsterile	Reusable



¹Use w/10329 or 10466 ²Use w/10446 & 10330

PEEK CF Push-In Suture Anchors



PEEK CF Push-In Suture Anchors are ideal for knotted fixation in shoulder instability or foot and ankle.

Features & Benefits

- Made of carbon fiber-reinforced PEEK-OPTIMA
 - o Non-absorbable, radiolucent, and MR safe
 - o Modulus of elasticity closely matching cortical bone



PEEK CF Push-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10323T	3.5	8	Push-in, suture anchor, w/ 2, #2 sutures (blu & wht/grn)	PEEK CF	6
10407	3.5	8	Push-in, suture anchor, w/ 2, #2 sutures (blu & wht/grn), w/needles (MO-6)	PEEK CF	6

Instrumentation for PEEK CF Push-In Suture Anchors

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10333U	2.8	Small Joint	Drill bit, w/positive stop	Unsterile	Reusable
10363	2.8	Shoulder	Drill bit (6 per box)	Sterile	Single-use
10363U	2.8	Shoulder	Drill bit	Unsterile	Single-use
10538U	2.8	Shoulder	Drill bit w/positive stop	Unsterile	Reusable
10482U	3	Small Joint	Drill bit w/positive stop	Unsterile	Reusable
10444	3	Shoulder	Drill bit (6 per box)	Sterile	Single-use
10444U	3	Shoulder	Drill bit	Unsterile	Single-use
10537U	3	Shoulder	Drill bit w/positive stop	Unsterile	Reusable
10823	3.5	Small Joint	8-Point drill guide, w/beaver tail handle	Unsterile	Reusable
10924	5.2	Shoulder	8-Point slotted knotless drill guide, w/beaver tail handle ¹	Unsterile	Reusable
10446	3.5	Shoulder	8-Point drill guide w/trocar tip obturator	Unsterile	Reusable
10330	3.5	Shoulder	V-Mouth drill guide w/trocar tip obturator	Unsterile	Reusable
10406	3.4	Shoulder	Blunt tip obturator ²	Unsterile	Reusable
10771	3.3	Shoulder	Conical tip obturator, w/1.8mm cannulation ²	Unsterile	Reusable
10405	3.4	Shoulder	Trocar tip obturator ²	Unsterile	Reusable
10397	2.8	Shoulder	Switching stick	Unsterile	Reusable



¹Accommodates 300mm drill guide ²Use w/10446 & 10330

Knotless PEEK CF Push-In Suture Anchors



Knotless PEEK CF Push-In Suture anchors are recommended for use in both large and small-joint repairs.

Features & Benefits

- **Made of carbon fiber reinforced PEEK-OPTIMA**
 - Non-absorbable, radiolucent, and MR safe
 - Modulus of elasticity closely matching cortical bone
- **Knotless**
 - Provide a step-saving alternative to conventional “knotted” suture anchors
 - Eliminate “knot stacks” associated with soft tissue irritation or impingement



Knotless PEEK CF Push-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10312	2.8	10	28 Knotless, push-in, suture anchor, w/suture passer	PEEK CF	6
10994	3.5	10	35 Knotless, push-in, suture anchor, w/suture passer	PEEK CF	6
10313	3.5	10	35 Knotless, push-in, suture anchor (implant only, driver not included), w/suture passer	PEEK CF	6
10314	4.5	16.3	45 Knotless, push-in, suture anchor (implant only, driver not included), w/suture passer	PEEK CF	6
11175	4.5	16.3	45 Knotless, push-in, suture anchor, w/suture passer	PEEK CF	1
10315	5.5	18.1	55 Knotless, push-in, suture anchor (implant only, driver not included), w/suture passer	PEEK CF	6
11176	5.5	18.1	55 Knotless, push-in, suture anchor, w/suture passer	PEEK CF	1

Knotless PEEK CF Push-In Suture Anchor, Hip Length

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10312H	2.8	10.2	28 Knotless, push-in, suture anchor, w/hip length driver, w/suture passer	PEEK CF	6

Instrumentation for Knotless PEEK CF Push-In Suture Anchors

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10344	-	Shoulder	35 Knotless suture anchor driver ¹	Sterile	Single-use
10483	-	Shoulder	35 Knotless suture anchor driver ¹	Unsterile	Reusable
10345	-	Shoulder	45 or 55 knotless suture anchor driver ²	Sterile	Single-use
10487	-	Shoulder	45 or 55 knotless suture anchor driver ²	Unsterile	Reusable
10365	3.2	Shoulder	Awl	Unsterile	Reusable
10333U	2.8	Small Joint	Drill bit, w/positive stop	Unsterile	Reusable
10874U	-	Small Joint	28 Knotless drill bit, w/positive stop	Unsterile	Reusable
10363	2.8	Shoulder	Drill bit (6 per box)	Sterile	Single-use
10363U	2.8	Shoulder	Drill bit	Unsterile	Single-use
10538U	2.8	Shoulder	Drill bit, w/positive stop	Unsterile	Reusable
10615U	-	Shoulder	28 Knotless drill bit, w/positive stop	Unsterile	Reusable
10482U	3	Small Joint	Drill bit, w/positive stop	Unsterile	Reusable
10444	3	Shoulder	Drill bit (6 per box)	Sterile	Single-use
10444U	3	Shoulder	Drill bit	Unsterile	Single-use
10537U	3	Shoulder	Drill bit, w/positive stop	Unsterile	Reusable
10505U	3.2	Small Joint	Drill bit, w/positive stop	Unsterile	Reusable
10359	3.2	Shoulder	Drill bit (6 per box)	Sterile	Single-use
10359U	3.2	Shoulder	Drill bit	Unsterile	Single-use
10540U	3.2	Shoulder	Drill bit, w/positive stop	Unsterile	Reusable
10823	3.5	Small Joint	8-point drill guide, w/beaver tail handle	Unsterile	Reusable
10924	5.2	Shoulder	8-point slotted knotless drill guide, w/beaver tail handle ³	Unsterile	Reusable
10446	3.5	Shoulder	8-point drill guide, w/trocar tip obturator	Unsterile	Reusable
10330	3.5	Shoulder	V-Mouth drill guide w/trocar tip obturator	Unsterile	Reusable
10406	3.4	Shoulder	Blunt tip obturator ⁴	Unsterile	Reusable
10771	3.3	Shoulder	Conical tip obturator, w/1.8mm cannulation ⁴	Unsterile	Reusable
10405	3.5	Shoulder	Trocar tip obturator ⁴	Unsterile	Reusable
10397	2.8	Shoulder	Switching stick	Unsterile	Reusable

¹Use w/10313

²Use w/10314 or 10315

³Use w/10329 or 10466

⁴Use w/10446 or 10330

Twist & Triple Twist PEEK Screw-In Suture Anchors



Twist & Triple Twist PEEK Screw-In Suture Anchors are recommended for use in both large and small-joint repairs.

Features & Benefits

- **Fully-threaded design**
 - Optimal cortical fixation
 - Reduce the risk of "pull-back"
- **Made of PEEK-OPTIMA Natural**
 - Non-absorbable, radiolucent, and MR safe



Twist PEEK Screw-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10511T	4.5	12.6	Twist, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	PEEK	6
10517T	5.5	12.6	Twist, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	PEEK	6
10518T	6.5	12.6	Twist, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	PEEK	6
10521	4.5	12.6	Twist, screw-in, suture anchor, w/2, #2 sutures (wht & wht/blu), w/needles (MO-6)	PEEK	6
10522	5.5	12.6	Twist, screw-in, suture anchor, w/2, #2 sutures (wht & wht/blu), w/needles (MO-6)	PEEK	6
10523	6.5	12.6	Twist, screw-in, suture anchor, w/2, #2 sutures (wht & wht/blu), w/needles (MO-6)	PEEK	6

Triple Twist PEEK Screw-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10524T	5.5	12.6	Triple Twist, screw-in, suture anchor, w/3, #2 sutures (blu, wht/grn & wht/blk)	PEEK	6
10525T	6.5	12.6	Triple Twist, screw-in, suture anchor, w/3, #2 sutures (blu, wht/grn & wht/blk)	PEEK	6

Twist PEEK Screw-In Suture Anchors w/Suture Tape

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
11081	4.5	12.6	Twist, screw-in, suture anchor, w/1, #2 suture (wht/blk), w/1, 1.6mm suture tape (wht/blu)	PEEK	1
11081T	4.5	12.6	Twist, screw-in, suture anchor, w/1, #2 suture (blu), w/1, 1.6mm suture tape (wht/blk)	PEEK	1
11082	5.5	12.6	Twist, screw-in, suture anchor, w/1, #2 suture (wht/blk), w/1, 1.6mm suture tape (wht/blu)	PEEK	1
11082T	5.5	12.6	Twist, screw-in, suture anchor, w/1, #2 suture (blu), w/1, 1.6mm suture tape (wht/blk)	PEEK	1
11083	6.5	12.6	Twist, screw-in, suture anchor, w/1, #2 suture (wht/blk), w/1, 1.6mm suture tape (wht/blu)	PEEK	1
11083T	6.5	12.6	Twist, screw-in, suture anchor, w/1, #2 suture (blu), w/1, 1.6mm suture tape (wht/blk)	PEEK	1

Instrumentation for Twist PEEK Screw-In Suture Anchors

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10365	3.2	Shoulder	Awl	Unsterile	Reusable
10338	4.1	Shoulder	Awl	Unsterile	Reusable
10609	4.5	Shoulder	Punch/tap	Unsterile	Reusable
10277	5.5	Shoulder	5.5mm or 6.5mm punch/tap	Unsterile	Reusable
10222	5.5	Shoulder	5.5mm or 6.5mm punch/tap, hudson	Unsterile	Reusable
10505U	3.2	Small Joint	Drill bit, w/positive stop	Unsterile	Reusable
10359	3.2	Shoulder	Drill bit (6 per box)	Sterile	Single-use
10359U	3.2	Shoulder	Drill bit	Unsterile	Single-use
10540U	3.2	Shoulder	Drill bit, w/positive stop	Unsterile	Reusable
10541U	4	Shoulder	Drill bit	Unsterile	Reusable
10823	3.5	Small Joint	8-point drill guide, w/beaver tail handle	Unsterile	Reusable

V-LoX & V-LoX³ PEEK CF Screw-In Suture Anchors



V-LoX & V-LoX³ PEEK CF Screw-In Suture Anchors, the first family of suture anchors manufactured from carbon fiber-reinforced PEEK-OPTIMA, are recommended for use in both large and small-joint repairs.

Features & Benefits

- **Fully-threaded design**
 - Optimal cortical fixation
 - Reduce the risk of "pull-back"
- **Made of carbon fiber-reinforced PEEK-OPTIMA**
 - Non-absorbable, radiolucent, and MR safe
 - Modulus of elasticity closely matching cortical bone



V-LoX PEEK CF Screw-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10253T	5.5	12.7	V-LoX, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	PEEK CF	6
10253	5.5	12.7	V-LoX, screw-in, suture anchor, w/2, #2 sutures (wht/blu & wht/blk)	PEEK CF	6
10254T	6.5	12.7	V-LoX, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	PEEK CF	6
10263	5.5	12.7	V-LoX, screw-in, suture anchor, w/2, #2 sutures (wht & wht/blu), w/needles (MO-6)	PEEK CF	6
10264	6.5	12.7	V-LoX, screw-in, suture anchor, w/2, #2 sutures (wht & wht/blu), w/needles (MO-6)	PEEK CF	6

V-LoX³ PEEK CF Screw-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10324T	5.5	12.7	V-LoX ³ , screw-in, suture anchor, w/3, #2 sutures (blu, wht/grn & wht/blk)	PEEK CF	6
10325T	6.5	12.7	V-LoX ³ , screw-in, suture anchor, w/3, #2 sutures (blu, wht/grn & wht/blk)	PEEK CF	6

V-LoX PEEK CF Screw-In Suture Anchors w/Suture Tape

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
11026	5.5	12.7	V-LoX, screw-in, suture anchor, w/2, 1.6mm suture tapes (wht/blu & wh/blk)	PEEK CF	1
11027	6.5	12.7	V-LoX, screw-in, suture anchor, w/2, 1.6mm suture tapes (wht/blu & wh/blk)	PEEK CF	1

Instrumentation for V-LoX & V-LoX³ PEEK CF Screw-In Suture Anchors

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10338	4.1	Shoulder	Awl	Unsterile	Reusable
10277	5.5	Shoulder	5.5mm or 6.5mm punch/tap	Unsterile	Reusable
10222	5.5	Shoulder	5.5mm or 6.5mm punch/tap, hudson	Unsterile	Reusable



MiTi & MiTi XL Titanium Screw-In Suture Anchors



MiTi Titanium Screw-In Suture Anchors are recommended to address a variety of small-joint applications due to their small diameter and tremendous pull-out strength. The MiTi XL, featuring an extended shaft, is ideal for the arthroscopic management of shoulder instability.

Features & Benefits

- Fully-threaded design
 - Optimal cortical fixation
 - Reduce the risk of "pull-back"
- Made of 6Al-4V ELI titanium alloy
 - Self-tapping threads



MiTi Titanium Screw-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10425	2	6.4	MiTi, screw-in, suture anchor, w/2, 3-0 sutures (wht & wht/blu), w/needles (BB-1), w/drill bit	Titanium	6
10433	2.5	6.4	MiTi, screw-in, suture anchor, w/1, #2 suture (wht/blu), w/needles (MO-6), w/drill bit	Titanium	6
10429	2.5	6.4	MiTi, screw-in, suture anchor, w/2, 3-0 sutures (wht & wht/blu), w/needles (BB-1), w/drill bit	Titanium	6
10472	3.5	7.6	MiTi, screw-in, suture anchor, w/1, #2 suture (wht/blu), w/needles (MO-6), w/drill bit	Titanium	6

MiTi XL Arthroscopic Length Titanium Screw-In Suture Anchor

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10434	2.5	6.4	MiTi XL, screw-in, suture anchor, w/1, #2 suture (wht/blu), w/arthroscopic length driver	Titanium	6

Instrumentation for MiTi XL Arthroscopic Length Titanium Screw-In Suture Anchors

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10446	3.5	Shoulder	8-Point drill guide, w/trocar tip obturator	Unsterile	Reusable
10330	3.5	Shoulder	V-Mouth drill guide w/trocar tip obturator	Unsterile	Reusable
10406	3.4	Shoulder	Blunt tip obturator ¹	Unsterile	Reusable
10771	3.3	Shoulder	Conical tip obturator, w/1.8mm cannulation ¹	Unsterile	Reusable
10405	3.4	Shoulder	Trocar tip obturator ¹	Unsterile	Reusable

¹Use w/10446 & 10330

V-LoX & V-LoX³ Titanium Screw-In Suture Anchors



V-LoX & V-LoX³ Titanium Screw-In Suture Anchors are recommended for use in both large and small-joint repairs. Quick, easy, and reliable; titanium implants deliver high strength and stability while reducing the need for drilling and tapping.

Features & Benefits

- Fully-threaded design
 - Optimal cortical fixation
 - Reduce the risk of "pull-back"
- Made of 6Al-4V ELI titanium alloy
 - Self-tapping threads




V-LoX Titanium Screw-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10353T	4.5	13.9	V-LoX, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	Titanium	6
10251	5	13.9	V-LoX, screw-in, suture anchor, w/2, #2 sutures (wht/blu & wht/blk)	Titanium	6
10356T	5.5	14.1	V-LoX, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	Titanium	6
10252T	6.5	13.9	V-LoX, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	Titanium	6
10257	5	13.9	V-LoX, screw-in, suture anchor, w/2, #2 sutures (wht & wht/blu), w/needles (MO-6)	Titanium	6
10258	6.5	13.9	V-LoX, screw-in, suture anchor, w/2, #2 sutures (wht & wht/blu), w/needles (MO-6)	Titanium	6

V-LoX³ Titanium Screw-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10284T	5.5	14.1	V-LoX ³ , screw-in, suture anchor, w/3, #2 sutures (blu, wht/grn, wht/blk)	Titanium	6
10358T	6.5	13.9	V-LoX ³ , screw-in, suture anchor, w/3, #2 sutures (blu, wht/grn, wht/blk)	Titanium	6




Parcus Braid



Parcus Braid, available in multiple configurations: suture tape, infinity loop, and suture, is recommended for use in soft tissue approximation and the use of allograft tissues in sports medicine procedures.

Features & Benefits

- Made of Ultra High Molecular Weight Polyethylene (UHMWPE)
 - o High strength
 - o Non-absorbable
- Variety of color combinations
 - o Suture management in complicated repairs
- Various needle options
 - o Ideal for open surgical procedures



Parcus Braid Suture

Part #	Size	Description	Total Length	Working/Loop Length	QTY/ Box
20046	#1	Parcus Braid, suture (wht/blu)	36	-	12
20050	#2	Parcus Braid, suture (wht/blu)	36	-	12
20049	#2	2, Parcus Braid, sutures (wht/blu & wht/blk)	36	-	12
20035	#2	Parcus Braid, suture (blu), w/needles (MO-6 & CE)	36	-	1
20055	#2	Parcus Braid, suture (wht), w/needles (MO-6)	36	-	12
20054	#2	Parcus Braid, suture (wht/blk), w/needles (MO-6)	36	-	12
20059	#5	Parcus Braid, suture (wht), w/needles (CCS)	36	-	12

Parcus Braid Infinity Loop

Part #	Size	Description	Total Length	Working/Loop Length	QTY/ Box
20053	#2	Parcus Braid, infinity loop (wht), w/needle	24	20	12
20056	#2	Parcus Braid, infinity loop (wht/blu), w/needle	24	20	12
20060	#5	Parcus Braid, infinity loop (wht/blu), w/needle	24	20	12

Parcus Braid Suture Tape

Part #	Size	Description	Total Length	Working/Loop Length	QTY/ Box
20042	2mm	Parcus Braid, suture tape (wht/blu)	39	7	6



Key: Needles	
Type	Description
CE	Reverse cutting curved needle
MO-6	Curved, 28mm needle
MO-6 & CE	MO-6 needle on one side, CE needle on the other side
BB!	Curved 17mm needle with taper point
CCS	48mm curved piercing needle

Patient Positioning



Parcus Shoulder Traction Unit and Kit are designed to provide a convenient method to apply traction and position the patient's arm during shoulder procedures.

Features & Benefits

- **Stockinette**
 - Creates sterile moisture-proof barrier to reduce bacterial migration
- **Patented Strap Stroll® straps**
 - Quick and easy application
- **Kit packed**
 - Convenience in the operating room



Parcus Shoulder Suspension Kit & Traction Unit

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
20016	-	Shoulder	Parcus, Shoulder Suspension Kit (6 per box)	Sterile	Single-use
10129	-	Shoulder	Parcus, Traction Unit	Unsterile	Reusable




Shoulder Instrumentation



Parcus Shoulder Instruments are designed to provide precise preparation of implant sites critical to performance and reproducible outcomes. Available individually or as part of the Suture Anchor Instrumentation Set.

Features & Benefits

- **Designed to meet the needs of various orthopedic procedures**
 - Arthroscopic and mini-open techniques
 - Threaded & knotless applications
- **Laser depth marking (as applicable)**
 - Convenience in the operating room
- **Color coding**
 - Method for surgical staff to quickly recognize related devices
 - Ideal in low-light situations



Suture Anchor Instrument Set

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10761	-	Shoulder	Suture Anchor Instrument Set	Unsterile	Reusable

Drivers

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10344	-	Shoulder	35 Knotless suture anchor driver ²	Sterile	Single-use
10483*	-	Shoulder	35 Knotless suture anchor driver ^{1,2}	Unsterile	Reusable
10345	-	Shoulder	45 or 55 Knotless suture anchor driver ³	Sterile	Single-use
10487*	-	Shoulder	45 or 55 Knotless suture anchor driver ^{1,3}	Unsterile	Reusable

Awls

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10365*	3.2	Shoulder	Awl	Unsterile	Reusable
10338*	4.1	Shoulder	Awl ¹	Unsterile	Reusable
11092	4.1	Shoulder	SLiK , awl	Unsterile	Reusable

Punch/Taps

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10609	4.5	Shoulder	Punch/tap	Unsterile	Reusable
10277	5.5	Shoulder	5.5mm or 6.5 mm punch/tap	Unsterile	Reusable
10222	5.5	Shoulder	5.5mm or 6.5 mm punch/tap, hudson	Unsterile	Reusable

¹Included in Shoulder Anchor Instrument Set ²Use w/10313 ³Use w/10314 or 10315

Shoulder Instrumentation



Drill Bits

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10590U*		Shoulder	1.8 Draw Tight, drill bit, w/positive stop ¹	Unsterile	Reusable
10363	2.8	Shoulder	Drill bit (6 per box)	Sterile	Single-use
10363U	2.8	Shoulder	Drill bit	Unsterile	Single-use
10538U	2.8	Shoulder	Drill bit, w/positive stop	Unsterile	Reusable
10615U*	-	Shoulder	28 Knotless, drill bit, w/positive stop ¹	Unsterile	Reusable
10444	3	Shoulder	Drill bit (6 per box)	Sterile	Single-use
10444U	3	Shoulder	Drill bit	Unsterile	Single-use
10537U*	3	Shoulder	Drill bit, w/positive stop ¹	Unsterile	Reusable
10359	3.2	Shoulder	Drill bit (6 per box)	Sterile	Single-use
10359U	3.2	Shoulder	Drill bit	Unsterile	Single-use
10540U*	3.2	Shoulder	Drill bit, w/positive stop ¹	Unsterile	Reusable
10541U	4	Shoulder	Drill bit	Unsterile	Reusable
11016U	7	Shoulder	SLiK Fix , drill bit	Unsterile	Single-use
11017U	8	Shoulder	SLiK Fix , drill bit	Unsterile	Single-use
11018U	9	Shoulder	SLiK Fix , drill bit	Unsterile	Single-use
11019U	10	Shoulder	SLiK Fix , drill bit	Unsterile	Single-use

Drill Guides, Obturators, & Switching Stick

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10591	-	Shoulder	3.2 Draw Tight, drill guide ²	Unsterile	Reusable
10924	5.2	Shoulder	8-point slotted knotless guide, w/beaver tail handle ²	Unsterile	Reusable
10446*	3.5	Shoulder	8-point drill guide, w/trocar tip obturator ¹	Unsterile	Reusable
10330*	3.5	Shoulder	V-Mouth drill guide w/trocar tip obturator	Unsterile	Reusable
10406*	3.4	Shoulder	Blunt tip obturator ^{1,3}	Unsterile	Reusable
10771	3.3	Shoulder	Conical tip obturator, w/1.8mm cannulation ³	Unsterile	Reusable
10933	4.8	Shoulder	Conical tip obturator, w/1.8mm cannulation ⁴	Unsterile	Reusable
10405	3.4	Shoulder	Trocar tip obturator ³	Unsterile	Reusable
10397*	2.8	Shoulder	Switching stick ¹	Unsterile	Reusable

Small Joint Instrumentation

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10873U	-	Small Joint	1.8 Draw Tight, drill bit, w/positive stop	Unsterile	Reusable
10333U	2.8	Small Joint	Drill bit, w/positive stop	Unsterile	Reusable
10874U	-	Small Joint	28 Knotless, drill bit, w/positive stop	Unsterile	Reusable
10482U	3	Small Joint	Drill bit, w/positive stop	Unsterile	Reusable
10505U	3.2	Small Joint	Drill bit, w/positive stop	Unsterile	Reusable
10823	3.5	Small Joint	8-point drill guide, w/beaver tail handle	Unsterile	Reusable



¹Included in Shoulder Anchor Instrument Set

²Use w/10329 or 10466

³Use w/10446 & 10330

⁴Use w/10924


STAR Instruments



Soft Tissue Apposition Repair (STAR) instruments are recommended to aid in the manipulation of sutures and tissue in arthroscopic procedures.

Features & Benefits

- **Simplistic design**
 - Easy-to-use
 - Ergonomic
- **Stainless steel**
 - Easy to clean
 - Robust enough to withstand steam sterilization



STAR Instruments

Part #	Working length (mm)	Description	QTY/Box	Sterile/ Unsterile	Single-use/ Reusable
10842	150	STAR knot pusher	1	Unsterile	Reusable
10940	150	STAR suture retriever	1	Unsterile	Reusable
10966	150	STAR suture cutter	1	Unsterile	Reusable
10980	150	STAR suture passer (left)	1	Unsterile	Reusable
10983	150	STAR suture passer (right)	1	Unsterile	Reusable
10989	150	STAR suture passer (straight)	1	Unsterile	Reusable
11010	180	STAR elevator	1	Unsterile	Reusable
11011	180	STAR rasp (up)	1	Unsterile	Reusable
11012	180	STAR rasp (down)	1	Unsterile	Reusable



Graft Fixation System Ultimate (GFS Ultimate)



GFS Ultimate is a suspensory fixation device recommended for use in the fixation of ligament or tendon repairs. It combines the convenience of adjustability with the strength and stiffness of conventional fixed-length loop devices.

Features & Benefits

- **Adjustable loop (Max:60mm to Min:12mm)**
 - Simplifies surgical procedure
 - Eliminates the need to stock multiple sizes
 - Can be both tightened and loosened
- **Loop made of Ultra High Molecular Weight Polyethylene (UHMWPE)**
 - High strength
 - Non-absorbable
- **Button made of 6Al-4V ELI titanium alloy**
 - Provides the strength and stiffness required for successful ligament reconstruction
- **Designed to be used with various surgical techniques/instrumentation**
 - Ideal for both transtibial and anterior medial approaches
 - Ideal for both outside-in instrumentation and reverse cutting tunnel instrumentation
 - Ideal for stepped femoral tunnels or a single diameter femoral tunnel




GFS Ultimate

Part #	Width of Button (mm)	Length of Button (mm)	Description	Length of Loop (mm)	QTY/Box
10972	3.9	12	GFS, ultimate mini	Max: 60, Min: 12	1
10974	3.9	16.5	GFS, ultimate large	Max: 60, Min: 12	1

Instrumentation for GFS Ultimate

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10057	-	Knee	GFS Depth Gage	Unsterile	Reusable
10613U	5	Knee	Headed reamer, w/2.5mm cannulation ¹	Unsterile	Reusable



¹Use w/GFS mini/ultimate

Graft Fixation System Mini (GFS Mini)



GFS Mini is a suspensory fixation device recommended for use in the fixation of ligament or tendon repairs. The smaller button size requires a stepped tunnel technique.

Features & Benefits

- Loop made of Ultra High Molecular Weight Polyethylene (UHMWPE)
 - High strength
 - Non-absorbable
- Button made of 6Al-4V ELI titanium alloy
 - Provides the strength and stiffness required for successful ligament reconstruction
- Pre-loaded with a color-coded pulling suture and flipping suture
 - Convenience in the operating room



GFS Mini					
Part #	Width of Button (mm)	Length of Button (mm)	Description	Length of Loop (mm)	QTY/Box
10713	3.9	12	GFS, mini	12	1
10714	3.9	12	GFS, mini	15	1
10715	3.9	12	GFS, mini	20	1
10716	3.9	12	GFS, mini	25	1
10717	3.9	12	GFS, mini	30	1
10718	3.9	12	GFS, mini	35	1
10719	3.9	12	GFS, mini	40	1
10720	3.9	12	GFS, mini	45	1
10721	3.9	12	GFS, mini	50	1
10722	3.9	12	GFS, mini	55	1

Instrumentation for GFS Mini					
Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10057	-	Knee	GFS Depth Gage	Unsterile	Reusable
10613U	5	Knee	Headed reamer, w/2.5mm cannulation ¹	Unsterile	Reusable



¹Use w/GFS mini/ultimate

Graft Fixation System II (GFS II)



GFS II is a suspensory fixation device recommended for use in the fixation of ligament or tendon repairs. The larger button may eliminate the stepped tunnel technique required by smaller buttons. It is an excellent choice for revision surgeries.

Features & Benefits

- **Loop made of Ultra High Molecular Weight Polyethylene (UHMWPE)**
 - High strength
 - Non-absorbable
- **Button made of 6Al-4V ELI titanium alloy**
 - Provides the strength and stiffness required for successful ligament reconstruction
- **Pre-loaded with a color-coded pulling suture and flipping suture**
 - Convenience in the operating room



GFS II Large

Part #	Width of Button (mm)	Length of Button (mm)	Description	Length of Loop (mm)	QTY/Box
10702	4.4	16.5	GFS, II large	12	1
10703	4.4	16.5	GFS, II large	15	1
10704	4.4	16.5	GFS, II large	20	1
10705	4.4	16.5	GFS, II large	25	1
10706	4.4	16.5	GFS, II large	30	1
10707	4.4	16.5	GFS, II large	35	1
10708	4.4	16.5	GFS, II large	40	1
10709	4.4	16.5	GFS, II large	45	1

Instrumentation for GFS II Large

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10057	-	Knee	GFS Depth Gage	Unsterile	Reusable



Graft Fixation System Naked (GFS Naked)



GFS Naked is recommended for use in the fixation of ligament or tendon repairs; simply add Parcus Braid suture tape or Parcus Braid suture to create a wide variety of fixation options.

Features & Benefits

- Button made of 6Al-4V ELI titanium alloy
 - o Provides the strength and stiffness required for successful ligament reconstruction



GFS Naked

Part #	Width of Button (mm)	Length of Button (mm)	Description	Length of Loop (mm)	QTY/Box
10787	1.4	5.9	GFS, naked nano	-	6
10788	2	8	GFS, naked micro	-	6
10789	3.9	12	GFS, naked mini	-	6
10790	3.9	14	GFS, naked standard	-	6
10791	4.4	16.5	GFS, naked large	-	6
10792	4.4	21	GFS, naked XL	-	6

PEEK CF Interference Screws



PEEK CF Interference Screws are recommended for the attachment of soft tissue to bone.

Features & Benefits

- **Made of carbon fiber-reinforced PEEK-OPTIMA**
 - Non-absorbable, radiolucent, and MR safe
 - Modulus of elasticity closely matching cortical bone
 - Naturally lubricious, minimizes “graft clacking”
- **Fully-threaded design**
 - Optimal fixation for both soft tissue and BTB grafts
- **Rounded edge**
 - Protects soft tissue grafts
- **Driver is cannulated, tapered & square**
 - Provides a positive driver-to-screw interface
 - Distributes insertion torque and eliminates “driver capture”



PEEK CF Interference Screws

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10021	7	20	Interference screw	PEEK CF	1
10022	7	25	Interference screw	PEEK CF	1
10023	7	30	Interference screw	PEEK CF	1
10025	8	20	Interference screw	PEEK CF	1
10026	8	25	Interference screw	PEEK CF	1
10027	8	30	Interference screw	PEEK CF	1
10028	8	35	Interference screw	PEEK CF	1
10029	9	20	Interference screw	PEEK CF	1
10030	9	25	Interference screw	PEEK CF	1
10031	9	30	Interference screw	PEEK CF	1
10032	9	35	Interference screw	PEEK CF	1
10034	10	25	Interference screw	PEEK CF	1
10035	10	30	Interference screw	PEEK CF	1
10036	10	35	Interference screw	PEEK CF	1
10166	11	25	Interference screw	PEEK CF	1
10167	11	30	Interference screw	PEEK CF	1
10168	11	35	Interference screw	PEEK CF	1
10038	12	25	Interference screw	PEEK CF	1
10039	12	30	Interference screw	PEEK CF	1
10040	12	35	Interference screw	PEEK CF	1

Instrumentation for PEEK CF Interference Screws

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10838	4.3	Knee	Tunnel notcher	Unsterile	Reusable
10275	-	Knee	PEEK CF interference screw driver shaft, w/1.5mm cannulation	Unsterile	Reusable
10042	-	Knee	PEEK CF interference screw driver shaft, hudson, w/1.5mm cannulation	Unsterile	Reusable
10372	6.4	Knee	Interference screw threaded dilator, w/1.5mm cannulation	Unsterile	Reusable


Titanium Interference Screws



Titanium Interference Screws are recommended for the attachment of soft tissue to bone.

Features & Benefits

- **Made of 6Al-4V ELI titanium alloy**
 - Provides the strength and stiffness required for successful ligament reconstruction
- **Fully-threaded design**
 - Optimal fixation for both soft tissue and BTB grafts
- **Rounded edge**
 - Protects soft tissue grafts



Titanium Interference Screws

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10001	7	20	Interference screw	Titanium	1
10002	7	25	Interference screw	Titanium	1
10003	7	30	Interference screw	Titanium	1
10004	7	35	Interference screw	Titanium	1
10005	8	20	Interference screw	Titanium	1
10006	8	25	Interference screw	Titanium	1
10007	8	30	Interference screw	Titanium	1
10008	8	35	Interference screw	Titanium	1
10009	9	20	Interference screw	Titanium	1
10010	9	25	Interference screw	Titanium	1
10011	9	30	Interference screw	Titanium	1
10012	9	35	Interference screw	Titanium	1
10014	10	25	Interference screw	Titanium	1
10015	10	30	Interference screw	Titanium	1
10016	10	35	Interference screw	Titanium	1
10163	11	25	Interference screw	Titanium	1
10164	11	30	Interference screw	Titanium	1
10165	11	35	Interference screw	Titanium	1
10018	12	25	Interference screw	Titanium	1
10019	12	30	Interference screw	Titanium	1
10020	12	35	Interference screw	Titanium	1

Instrumentation for Titanium Interference Screws

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10838	4.3	Knee	Tunnel notcher	Unsterile	Reusable
10274	3.5	Knee	Hex titanium interference screw driver shaft, w/1.5mm cannulation	Unsterile	Reusable
10041	3.5	Knee	Hex titanium interference screw driver shaft, hudson, w/1.5mm cannulation	Unsterile	Reusable
10372	6.4	Knee	Interference screw threaded dilator, w/1.5mm cannulation	Unsterile	Reusable

Knee Instrumentation



Parcus Knee Instruments are designed to provide precise preparation of implant sites critical to performance and reproducible outcomes. Available individually or as part of the Parcus ACL Set.

Features & Benefits

- **Designed to meet the needs of various orthopedic procedures**
 - Arthroscopic and open techniques
 - Suspensory and aperture fixation
- **Laser depth marking (as applicable)**
 - Convenience in the operating room



ACL Set

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10077	-	Knee	Parcus, ACL Set	Unsterile	Reusable

Tendon Harvesters

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10389	4.75	Knee	Closed tendon harvester	Unsterile	Reusable
10390	5.5	Knee	Closed tendon harvester	Unsterile	Reusable
10807	7	Knee	Closed tendon harvester	Unsterile	Reusable
10411	4.75	Knee	Slotted tendon harvester	Unsterile	Reusable
10421	5.5	Knee	Slotted tendon harvester	Unsterile	Reusable

Chondral Picks

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10554	-	Knee	Chondral pick (straight)	Unsterile	Reusable
10555	-	Knee	Chondral pick (15°)	Unsterile	Reusable
10556	-	Knee	Chondral pick (45°)	Unsterile	Reusable

Cannulated Headed Reamers

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10112	6	Knee	Headed reamer, w/2.5mm cannulation	Unsterile	Reusable
10113	6.5	Knee	Headed reamer, w/2.5mm cannulation	Unsterile	Reusable
10084	7	Knee	Headed reamer, w/2.5mm cannulation ¹	Unsterile	Reusable
10114	7.5	Knee	Headed reamer, w/2.5mm cannulation	Unsterile	Reusable
10085	8	Knee	Headed reamer, w/2.5mm cannulation ¹	Unsterile	Reusable
10115	8.5	Knee	Headed reamer, w/2.5mm cannulation	Unsterile	Reusable
10086	9	Knee	Headed reamer, w/2.5mm cannulation ¹	Unsterile	Reusable
10116	9.5	Knee	Headed reamer, w/2.5mm cannulation	Unsterile	Reusable
10087	10	Knee	Headed reamer, w/2.5mm cannulation ¹	Unsterile	Reusable
10117	10.5	Knee	Headed reamer, w/2.5mm cannulation	Unsterile	Reusable
10088	11	Knee	Headed reamer, w/2.5mm cannulation ¹	Unsterile	Reusable
10118	11.5	Knee	Headed reamer, w/2.5mm cannulation	Unsterile	Reusable
10089	12	Knee	Headed reamer, w/2.5mm cannulation ¹	Unsterile	Reusable

¹Included in ACL Set

Knee Instrumentation



Cannulated Drill Bits

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10173	6	Knee	Drill bit, w/2.5mm cannulation	Unsterile	Reusable
10174	6.5	Knee	Drill bit, w/2.5mm cannulation	Unsterile	Reusable
10078	7	Knee	Drill bit, w/2.5mm cannulation ¹	Unsterile	Reusable
10175	7.5	Knee	Drill bit, w/2.5mm cannulation	Unsterile	Reusable
10079	8	Knee	Drill bit, w/2.5mm cannulation ¹	Unsterile	Reusable
10176	8.5	Knee	Drill bit, w/2.5mm cannulation	Unsterile	Reusable
10080	9	Knee	Drill bit, w/2.5mm cannulation ¹	Unsterile	Reusable
10177	9.5	Knee	Drill bit, w/2.5mm cannulation	Unsterile	Reusable
10081	10	Knee	Drill bit, w/2.5mm cannulation ¹	Unsterile	Reusable
10178	10.5	Knee	Drill bit, w/2.5mm cannulation	Unsterile	Reusable
10082	11	Knee	Drill bit, w/2.5mm cannulation ¹	Unsterile	Reusable
10179	11.5	Knee	Drill bit, w/2.5mm cannulation	Unsterile	Reusable
10083	12	Knee	Drill bit, w/2.5mm cannulation ¹	Unsterile	Reusable

Slotted Graft Sizers & Sizing Block

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10090	7	Knee	Slotted graft sizer ¹	Unsterile	Reusable
10091	8	Knee	Slotted graft sizer ¹	Unsterile	Reusable
10092	9	Knee	Slotted graft sizer ¹	Unsterile	Reusable
10093	10	Knee	Slotted graft sizer ¹	Unsterile	Reusable
10094	11	Knee	Slotted graft sizer ¹	Unsterile	Reusable
10095	12	Knee	Slotted graft sizer ¹	Unsterile	Reusable
10127	-	Knee	Graft sizing block		

Parcus Graft Station

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10107	-	Knee	Parcus graft station	Unsterile	Reusable

Offset Guides, Tunnel Notcher, & Guide Pins

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10096	5	Knee	Femoral offset guide ¹	Unsterile	Reusable
10097	6	Knee	Femoral offset guide ¹	Unsterile	Reusable
10098	7	Knee	Femoral offset guide ¹	Unsterile	Reusable
10838	4.3	Knee	Tunnel notcher	Unsterile	Reusable
10304	2.4	Knee	Drill tip guide pin, 250mm	Unsterile	Single-use
10301	2.4	Knee	Drill tip guide pin, w/eyelet, 250mm	Unsterile	Single-use
10309	2.4	Knee	Drill tip guide pin, w/Q-eyelet, 250mm	Unsterile	Single-use
10307	2.4	Knee	Drill tip guide pin, 320mm	Unsterile	Single-use
10306	2.4	Knee	Drill tip guide pin, w/eyelet, 420mm	Unsterile	Single-use
10308	2.4	Knee	Drill tip guide pin, w/Q-eyelet, 420mm	Unsterile	Single-use
10300	2.6	Knee	Trocar tip guide pin, w/eyelet	Unsterile	Single-use

Tibial Plugs

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10512	13	Knee	Tibial plug, w/2.8mm cannulation	Unsterile	Reusable
10500	13	Knee	Tibial plug	Unsterile	Reusable

¹Included in ACL Set

Knee Instrumentation



Ratcheting Handle Drivers

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10041	3.5	Knee	Hex titanium interference screw driver shaft, hudson, w/1.5mm cannulation	Unsterile	Reusable
10042	-	Knee	PEEK CF interference screw driver shaft, hudson, w/1.5mm cannulation	Unsterile	Reusable
20010	-	Knee	Ratcheting handle, w/3.8mm cannulation	Unsterile	Reusable

Fixed Handle Drivers

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10274	3.5	Knee	Hex titanium interference screw driver shaft, w/1.5mm cannulation ¹	Unsterile	Reusable
10275	-	Knee	PEEK CF interference screw driver shaft, w/1.5mm cannulation ¹	Unsterile	Reusable

Nitinol Guide Wires

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
20098	1.1	Knee	Nitinol guide wire, 40mm	Unsterile	Single-use
20015	1.5	Knee	Nitinol guide wire, 30mm	Unsterile	Single-use
20009	1.5	Knee	Nitinol guide wire, 40mm	Unsterile	Single-use

Parcus Pin Packs & Depth Gauge

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10057	-	Knee	GFS depth gage	Unsterile	Reusable
10498	1.1	Knee	Parcus pin pack, includes: 10300,10304,20098 (6 per box)	Sterile	Single-use
10499	1.5	Knee	Parcus pin pack, includes: 10300,10304,20009 (6 per box)	Sterile	Single-use

Tibial Drill Guide

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
10291	-	Knee	Cobra tooth drill guide aiming arm ¹	Unsterile	Reusable
10299	-	Knee	Adjustable tibial drill guide ¹	Unsterile	Reusable



¹Included in ACL Set

Hip Instrumentation



Parcus Hip Instruments are designed to provide precise preparation of implant sites critical to performance and reproducible outcomes. Parcus hip instruments along with Parcus anchors offer a complete solution to hip repair.


Features & Benefits

- **Extended length instrumentation**
 - Optimize access to the hip
- **Laser depth marking (as applicable)**
 - Convenience in the operating room



Hip Instrumentation

Part #	Diameter (mm)	Joint	Description	Sterile/ Unsterile	Single-use/ Reusable
10615HU	-	Hip	28 Knotless drill bit, w/positive stop	Unsterile	Reusable
10446H	3.5	Hip	8-point drill guide, w/trocar tip obturator	Unsterile	Reusable
10924H	5.2	Hip	8-point slotted knotless drill guide, w/beaver tail handle	Unsterile	Reusable
10933H	4.8	Hip	Conical tip obturator, w/1.6mm cannulation ¹	Unsterile	Reusable
10771H	3.3	Hip	Conical tip obturator, w/1.8mm cannulation ²	Unsterile	Reusable
11002	-	Hip	Parcus GPS	Sterile	Single-use



¹Use w/10924H ²Use w/10446H

Surgical Innovation | Customer Driven


PEEK CF is made of PEEK-OPTIMA™ (by Invibio) combined with 30% carbon fiber filler. The compound is comprised of short carbon fibers that are dispersed within a PEEK-OPTIMA polymer matrix.

The resulting material has enhanced physical strength, nearly twice as much as natural PEEK, and has mechanical characteristics much closer to cortical bone than natural PEEK, PLLA or titanium. The added mechanical strength in PEEK CF plays a key role in addressing the challenges of insertion torque in screw-in devices such as suture anchors and interference screws.


THE PARCUS PEEK CF DIFFERENCE

The PEEK CF Difference

- **Strong** and biocompatible
- **Radiolucent**, less imaging artifact, MR safe
- **Twice as strong** as the PEEK material used in other suture anchors
- **Mechanical properties** closer to cortical bone than titanium or biocomposites



PEEK CF Strength & Stiffness Comparison



	Ti 6Al-4V	PEEK CF	PEEK-OPTIMA	Cortical Bone	PLLA
■ Elastic Modulus GPa	120	18	3.5	15	2
■ Tensile Strength MPa	790	200	100	139	50



PHONE 1.941.755.7965 • FAX 1.941.755.6543
6423 PARKLAND DRIVE SARASOTA, FL 34243
www.parcusmedical.com

© Copyright Parcus Medical, LLC | QD 8000 Rev 2 11/2018